

=> d his

(FILE 'HOME' ENTERED AT 20:31:23 ON 08 JUN 2004)

FILE 'EMBASE, BIOSIS, EUROPATFULL, JAPIO, ADISCTI, ADISINSIGHT, ADISNEWS, BABS, BIOBUSINESS, BIOCOMMERCE, BIOTECHNO, CANCERLIT, CAPLUS, CBNB, CEN, CIN, CONFSCI, DISSABS, DGENE, DIOGENES, DRUGB, DRUGMONOG2, IMSDRUGNEWS, DRUGU, IMSRESEARCH, EMBAL, ESBIODBASE, ...' ENTERED AT 20:35:25 ON 08 JUN 2004

L1 87 S (CROSPVIDON? OR CROSS? (5A) (VINYLPRY? OR POLYVINYLPRY? OR P  
L2 87 S L1 AND TABLET?  
L3 73 DUP REM L2 (14 DUPLICATES REMOVED)

=> s (Kang or Park or Kim or Yuhan) or  
MISSING TERM AFTER YUHAN) OR

Operators must be followed by a search term, L-number, or query name.

=> s (Kang or Park or Kim or Yuhan) or (Kang or Park or Kim)/in or (Kang or Park or Kim)/au or (Kang or Park or Kim or Yuhan)/bi or yuhan or yuhan/pa

'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'YUHAN'  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE

'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
24 FILES SEARCHED...  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'YUHAN'  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
'IN' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE

'PA' IS NOT A VALID FIELD CODE  
50 FILES SEARCHED...  
NUMERIC VALUE NOT VALID 'YUHAN'  
'PA' IS NOT A VALID FIELD CODE  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'YUHAN'  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'YUHAN'  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'AU' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'KANG'  
NUMERIC VALUE NOT VALID 'PARK'  
NUMERIC VALUE NOT VALID 'KIM'  
NUMERIC VALUE NOT VALID 'YUHAN'  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE  
'IN' IS NOT A VALID FIELD CODE  
'PA' IS NOT A VALID FIELD CODE

L4        4081013 (KANG OR PARK OR KIM OR YUHAN) OR (KANG OR PARK OR KIM)/IN OR  
                 (KANG OR PARK OR KIM)/AU OR (KANG OR PARK OR KIM OR YUHAN)/BI  
                 OR YUHAN OR YUHAN/PA

=> s l4 and (crospovidon? or cross? (5a) (vinylpyr? or polyvinylpyr? or pyrrolid?  
or pyrollid? or pyrrollid?)) and (spray? (5a) (dry? or dries or dried) (5a)  
(manitol or mannitol))

19 FILES SEARCHED...


40 FILES SEARCHED...

60 FILES SEARCHED...

L5 12 L4 AND (CROSPVIDON? OR CROSS? (5A) (VINYLPIR? OR POLYVINYLPIR  
? OR PYRROLID? OR PYROLLID? OR PYRROLLID?)) AND (SPRAY? (5A)  
(DRY? OR DRIES OR DRIED) (5A) (MANITOL OR MANNITOL))

> d

L2 ANSWER 1 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 139755-83-2 REGISTRY  
CN Piperazine, 1-[[3-(4,7-dihydro-1-methyl-7-oxo-3-propyl-1H-pyrazolo[4,3-d]pyrimidin-5-yl)-4-ethoxyphenyl]sulfonyl]-4-methyl- (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 1H-Pyrazolo[4,3-d]pyrimidine, piperazine deriv.  
OTHER NAMES:  
CN 5-[2-Ethoxy-5-(4-methyl-1-piperazinylsulfonyl)phenyl]-1-methyl-3-n-propyl-1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one  
CN **Sildenafil**  
FS 3D CONCORD  
MF C22 H30 N6 O4 S  
CI COM  
SR CA  
LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CIN, CSCHM, DDFU, DIOGENES, DRUGU, EMBASE, IMSCOSEARCH, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK\*, PHAR, PROMT, PROUSDDR, PS, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL, VETU  
(\*File contains numerically searchable property data)  
Other Sources: WHO  
DT.CA Caplus document type: Conference; Journal; Patent  
RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); USES (Uses)  
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); USES (Uses)  
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


538 REFERENCES IN FILE CA (1907 TO DATE)  
9 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
541 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d 1-

YOU HAVE REQUESTED DATA FROM 14 ANSWERS - CONTINUE? Y/(N):y

L2 ANSWER 1 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 139755-83-2 REGISTRY  
CN Piperazine, 1-[[3-(4,7-dihydro-1-methyl-7-oxo-3-propyl-1H-pyrazolo[4,3-d]pyrimidin-5-yl)-4-ethoxyphenyl]sulfonyl]-4-methyl- (9CI) (CA INDEX

NAME)  
 OTHER CA INDEX NAMES:  
 CN 1H-Pyrazolo[4,3-d]pyrimidine, piperazine deriv.  
 OTHER NAMES:  
 CN 5-[2-Ethoxy-5-(4-methyl-1-piperazinylsulfonyl)phenyl]-1-methyl-3-n-propyl-  
 1,6-dihydro-7H-pyrazolo[4,3-d]pyrimidin-7-one  
 CN **Sildenafil**  
 FS 3D CONCORD  
 MF C22 H30 N6 O4 S  
 CI COM  
 SR CA  
 LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BIOBUSINESS,  
 BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS,  
 CIN, CSChem, DDFU, DIOGENES, DRUGU, EMBASE, IMSCoSEARCH, IMSDRUGNEWS,  
 IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK\*, PHAR, PROMT, PROUSDDR, PS,  
 SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL, VETU  
 (\*File contains numerically searchable property data)  
 Other Sources: WHO  
 DT.CA Caplus document type: Conference; Journal; Patent  
 RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study);  
 PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or  
 reagent); USES (Uses)  
 RLD.P Roles for non-specific derivatives from patents: BIOL (Biological  
 study); PREP (Preparation); PROC (Process); PRP (Properties); USES  
 (Uses)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological  
 study); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC  
 (Process); PRP (Properties); USES (Uses)  
 RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical  
 study)




**\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\***

538 REFERENCES IN FILE CA (1907 TO DATE)  
 9 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 541 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 109889-09-0 REGISTRY  
 CN 1H-Indazole-3-carboxamide, 1-methyl-N-[(3-endo)-9-methyl-9-  
 azabicyclo[3.3.1]non-3-yl]- (9CI) (CA INDEX NAME)  
 OTHER CA INDEX NAMES:  
 CN 1H-Indazole-3-carboxamide, 1-methyl-N-(9-methyl-9-azabicyclo[3.3.1]non-3-  
 yl)-, endo-  
 CN 9-Azabicyclo[3.3.1]nonane, 1H-indazole-3-carboxamide deriv.  
 OTHER NAMES:  
 CN BRL 43694  
 CN BRL 43964  
 CN **Granisetron**  
 FS STEREOSEARCH  
 DR 121061-98-1

MF C18 H24 N4 O  
 CI COM  
 SR World Health Organization (WHO)  
 LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CBNB, CHEMCATS, CIN, CSCHEM, DDFU, DIOGENES, DRUGU, EMBASE, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK\*, NIOSHTIC, PHAR, PROMT, PROUSDDR, PS, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL  
 (\*File contains numerically searchable property data)  
 Other Sources: WHO  
 DT.CA Caplus document type: Conference; Dissertation; Journal; Patent  
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
 RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
 RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological study); PREP (Preparation)

Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

505 REFERENCES IN FILE CA (1907 TO DATE)  
 11 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 507 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 3 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 99614-02-5 REGISTRY  
 CN 4H-Carbazol-4-one, 1,2,3,9-tetrahydro-9-methyl-3-[(2-methyl-1H-imidazol-1-yl)methyl]- (9CI) (CA INDEX NAME)  
 OTHER NAMES:  
 CN GR 38032  
 CN GR 38032X  
 CN **Ondansetron**  
 CN Zofran  
 CN Zophren  
 CN Zudan  
 FS 3D CONCORD  
 DR 108303-49-7, 116002-70-1  
 MF C18 H19 N3 O  
 CI COM  
 SR CA  
 LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CBNB, CHEMCATS, CIN, CSCHEM, DDFU, DIOGENES, DRUGU, EMBASE, IFICDB, IFIUDB, IMSCOSEARCH, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK\*, NIOSHTIC, PHAR, PROMT, PROUSDDR, PS, RTECS\*, SYNTHLINE, TOXCENTER, USAN,

USPAT2, USPATFULL

(\*File contains numerically searchable property data)

Other Sources: WHO

DT.CA CAPLUS document type: Book; Conference; Dissertation; Journal; Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study); PREP (Preparation); PRP (Properties); USES (Uses)  
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1058 REFERENCES IN FILE CA (1907 TO DATE)

15 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

1065 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 4 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN

RN 99614-01-4 REGISTRY

CN 4H-Carbazol-4-one, 1,2,3,9-tetrahydro-9-methyl-3-[(2-methyl-1H-imidazol-1-yl)methyl]-, monohydrochloride (9CI) (CA INDEX NAME)

OTHER NAMES:

CN GR 38032F

CN NSC 665799

CN **Ondansetron hydrochloride**

CN SN 307

DR 110204-46-1, 110707-92-1

MF C18 H19 N3 O . Cl H

CI COM

SR CA

LC STN Files: ADISNEWS, ANABSTR, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CIN, CSChem, DIOGENES, EMBASE, IMSPATENTS, IMSRESEARCH, MRCK\*, PHAR, PROMT, PS, RTECS\*, TOXCENTER, USPAT2, USPATFULL

(\*File contains numerically searchable property data)

DT.CA CAPLUS document type: Conference; Journal; Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); MSC (Miscellaneous); PREP (Preparation); PROC (Process); PRP (Properties); USES (Uses)


CRN (99614-02-5)





L2 ANSWER 5 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 88150-42-9 REGISTRY  
CN 3,5-Pyridinedicarboxylic acid, 2-[(2-aminoethoxy)methyl]-4-(2-chlorophenyl)-1,4-dihydro-6-methyl-, 3-ethyl 5-methyl ester (9CI) (CA INDEX NAME)

LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CIN, CSCHEM, DDFU, DIOGENES, DRUGU, EMBASE, HSDB\*, IMSPATENTS, IPA, MEDLINE, MRCK\*, PHAR, PROMT, PROUSDDR, PS, RTECS\*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL, VETU




**\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\***

1237 REFERENCES IN FILE CA (1907 TO DATE)  
20 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
1242 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 6 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 81098-60-4 REGISTRY  
CN Benzamide, 4-amino-5-chloro-N-[1-[(3R,4S)-3-(4-fluorophenoxy)propyl]-3-methoxy-4-piperidinyl]-2-methoxy-, rel- (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN Benzamide, 4-amino-5-chloro-N-[1-[3-(4-fluorophenoxy)propyl]-3-methoxy-4-piperidinyl]-2-methoxy-, cis-  
OTHER NAMES:  
CN (+)-Cisapride  
CN Acenalin  
CN Alimix  
CN Cipril  
CN cis-2-Methoxy-4-amino-5-chloro-N-[1-[3-(4-fluorophenoxy)propyl]-3-methoxy-4-piperidinyl]benzamide  
CN **Cisapride**  
CN Prepulsid  
CN Propulsid  
CN Propulsin  
CN R 51619  
CN Risamal  
CN T 1341  
FS STEREOSEARCH  
DR 86718-68-5  
MF C23 H29 Cl F N3 O4  
CI COM  
LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMLIST, CIN, CSCHM, DDFU, DIOGENES, DRUGU, EMBASE, HSDB\*, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK\*, PHAR, PROMT, PROUSDDR, PS, RTECS\*, SPECINFO, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL, VETU  
(\*File contains numerically searchable property data)  
Other Sources: EINECS\*\*, WHO  
(\*\*Enter CHEMLIST File for up-to-date regulatory information)  
DT.CA Caplus document type: Conference; Journal; Patent; Report  
RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)  
RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological study); PREP (Preparation); PROC (Process); RACT (Reactant or reagent)

Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

727 REFERENCES IN FILE CA (1907 TO DATE)  
 10 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 730 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 7 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 79794-75-5 REGISTRY  
 CN 1-Piperidinecarboxylic acid, 4-(8-chloro-5,6-dihydro-11H-benzo[5,6]cyclohepta[1,2-b]pyridin-11-ylidene)-, ethyl ester (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN 11H-Benzo[5,6]cyclohepta[1,2-b]pyridine, 1-piperidinecarboxylic acid deriv.

OTHER NAMES:

CN Alavert  
 CN Anhissen  
 CN Bonalerg  
 CN Civeran  
 CN Claratyne  
 CN Claritin  
 CN Claritine  
 CN Clarityn  
 CN Clarityne  
 CN Cronopen  
 CN Fristamin  
 CN Histaloran  
 CN Klaritin  
 CN Lertamine  
 CN Lisino  
 CN Loracert  
 CN Loradex  
 CN Loranox  
 CN Lorastine  
 CN **Loratadine**  
 CN Loratidine  
 CN Loratyne  
 CN Lorfast  
 CN Lowadina  
 CN Optimin  
 CN Polaratyne  
 CN Pylor  
 CN Restamine  
 CN Sch 29851  
 CN Sensibit

CN Sohotin  
 CN Tadine  
 CN Velodan  
 CN Zeos  
 MF C22 H23 Cl N2 O2  
 CI COM  
 LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*,  
 BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CBNB,  
 CEN, CHEMCATS, CIN, CSCHM, DDFU, DIOGENES, DRUGU, EMBASE, HSDB\*,  
 IMSCOSEARCH, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK\*,  
 NIOSHTIC, PHAR, PIRA, PROMT, PROUSDDR, PS, RTECS\*, SPECINFO, SYNTHLINE,  
 TOXCENTER, USAN, USPAT2, USPATFULL, VETU  
 (\*File contains numerically searchable property data)  
 Other Sources: WHO  
 DT.CA Caplus document type: Conference; Journal; Patent  
 RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study);  
 MSC (Miscellaneous); PREP (Preparation); PROC (Process); PRP  
 (Properties); RACT (Reactant or reagent); USES (Uses)  
 RLD.P Roles for non-specific derivatives from patents: BIOL (Biological  
 study); FORM (Formation, nonpreparative); PREP (Preparation); USES  
 (Uses)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological  
 study); MSC (Miscellaneous); PREP (Preparation); PROC (Process); PRP  
 (Properties); RACT (Reactant or reagent); USES (Uses)  
 RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological  
 study); PREP (Preparation); PROC (Process); PRP (Properties); USES  
 (Uses)




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

641 REFERENCES IN FILE CA (1907 TO DATE)  
 20 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 644 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 8 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 76824-35-6 REGISTRY  
 CN Propanimidamide, 3-[[[2-[(aminoiminomethyl)amino]-4-thiazolyl]methyl]thio]-  
 N-(aminosulfonyl)- (9CI) (CA INDEX NAME)  
 OTHER NAMES:  
 CN 3-[(2-Diaminomethyleneaminothiazol-4-yl)methylthio]-N-  
 sulfamoylpropionamidine  
 CN Amfamox  
 CN Dispromil  
 CN Famodil  
 CN Famodine

CN Famosan  
 CN **Famotidine**  
 CN Famoxal  
 CN Fanosin  
 CN Fibonel  
 CN Ganor  
 CN Ganor mite  
 CN Gaster  
 CN Gastridin  
 CN Gastropen  
 CN Ifada  
 CN Lecedil  
 CN MK 208  
 CN Motiax  
 CN Muclox  
 CN N-(Aminosulfonyl)-3-[[[2-[(diaminomethylene)amino]-4-thiazolyl]methyl]thio]propanimidamide  
 CN Nulcerin  
 CN Pepcid  
 CN Pepcid AC  
 CN Pepcid PM  
 CN Pepcidina  
 CN Pepcidine  
 CN Pepdine  
 CN Pepdul  
 CN Pepdul mite  
 CN Peptan  
 CN Ulcetrax  
 CN Ulfamid  
 CN Ulfinol  
 CN YM 11170  
 FS 3D CONCORD  
 MF C8 H15 N7 O2 S3  
 CI COM  
 LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMLIST, CIN, CSCHEM, DDFU, DIOGENES, DRUGU, EMBASE, HSDB\*, IFICDB, IFIUDB, IMSCOSEARCH, IMSPATENTS, IPA, MEDLINE, MRCK\*, MSDS-OHS, NIOSHTIC, PHAR, PROMT, PROUSDDR, PS, RTECS\*, SPECINFO, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL, VETU  
 (\*File contains numerically searchable property data)  
 Other Sources: DSL\*\*, WHO  
 (\*\*Enter CHEMLIST File for up-to-date regulatory information)  
 DT.CA Caplus document type: Book; Conference; Dissertation; Journal; Patent  
 RL.P Roles from patents: BIOL (Biological study); CMBI (Combinatorial study); MSC (Miscellaneous); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
 RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
 RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological study); FORM (Formation, nonpreparative); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)



**\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\***

1258 REFERENCES IN FILE CA (1907 TO DATE)  
40 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
1262 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 9 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN

RN 57808-66-9 REGISTRY

CN 2H-Benzimidazol-2-one, 5-chloro-1-[1-[3-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)propyl]-4-piperidinyl]-1,3-dihydro- (9CI) (CA INDEX NAME)

**OTHER NAMES:**

CN Domperidone

CN Euciton

CN Evoxin

CN Gastronorm

CN KW 5338

CN Mod

CN Motilium

CN Nauzelin

CN Nauzelin Ds

CN NSC 299589

CN Peridon

CN Peridys

CN R 33812

FS 3D CONCORD

MF C22 H24 Cl N5 O2

CI COM

LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CBNB, CEN, CHEMCATS, CHEMLIST, CIN, CSCHM, DDFU, DIOGENES, DRUGU, EMBASE, IFICDB, IFIPAT, IFIUDB, IMSCOSEARCH, IMSPATENTS, IPA, MEDLINE, MRCK\*, NIOSHTIC, PHAR, PROMT, PROUSDDR, PS, RTECS\*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL, VETU

(\*File contains numerically searchable property data)

Other Sources: EINECS\*\*, WHO

(\*\*Enter CHEMLIST File for up-to-date regulatory information)


DT.CA Caplus document type: Conference; Dissertation; Journal; Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study); PREP (Preparation); PRP (Properties); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); CMBI (Combinatorial study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)


RLD.NP Roles for non-specific derivatives from non-patents: PREP (Preparation); PRP (Properties)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

740 REFERENCES IN FILE CA (1907 TO DATE)  
 8 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 744 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 10 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 1104-22-9 REGISTRY  
 CN Piperazine, 1-[(4-chlorophenyl)phenylmethyl]-4-[(3-methylphenyl)methyl]-, dihydrochloride (9CI) (CA INDEX NAME)  
 OTHER CA INDEX NAMES:  
 CN Piperazine, 1-(p-chloro- $\alpha$ -phenylbenzyl)-4-(m-methylbenzyl)-, dihydrochloride (6CI, 8CI)  
 OTHER NAMES:  
 CN 1-(p-Chloro- $\alpha$ -phenylbenzyl)-4-(m-methylbenzyl)piperazine dihydrochloride  
 CN Ancolan dihydrochloride  
 CN Bonamine  
 CN Diadril  
 CN Meclizine dihydrochloride  
 CN **Meclizine hydrochloride**  
 CN Meclozine dihydrochloride  
 CN Meclozine hydrochloride  
 CN Navidoxine  
 CN NSC 28728  
 CN Parachloramine dihydrochloride  
 CN Postafen  
 CN Postafene dihydrochloride  
 DR 1639-65-2  
 MF C25 H27 Cl N2 . 2 Cl H  
 CI COM  
 LC STN Files: ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST, CSCHM, DIOGENES, EMBASE, IMSCOSEARCH, NIOSHTIC, PROMT, PS, RTECS\*, TOXCENTER, USAN, USPATFULL  
 (\*File contains numerically searchable property data)  
 Other Sources: EINECS\*\*, NDSL\*\*, TSCA\*\*  
 (\*\*Enter CHEMLIST File for up-to-date regulatory information)  
 DT.CA Caplus document type: Journal; Patent  
 RL.P Roles from patents: BIOL (Biological study); PROC (Process); USES (Uses); NORL (No role in record)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)  
 CRN (569-65-3)



93 REFERENCES IN FILE CA (1907 TO DATE)  
 93 REFERENCES IN FILE CAPLUS (1907 TO DATE)  
 9 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L2 ANSWER 11 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN

RN 569-65-3 REGISTRY

CN Piperazine, 1-[(4-chlorophenyl)phenylmethyl]-4-[(3-methylphenyl)methyl]-  
 (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Piperazine, 1-(p-chloro- $\alpha$ -phenylbenzyl)-4-(m-methylbenzyl)- (6CI,  
 8CI)

OTHER NAMES:

CN (+)-Meclizine

CN 1-(p-Chloro- $\alpha$ -phenylbenzyl)-4-(m-methylbenzyl)piperazine

CN 1-(p-Chlorobenzhydryl)-4-(m-methylbenzyl)diethylenediamine

CN 1-(p-Chlorobenzhydryl)-4-(m-methylbenzyl)piperazine

CN Ancolan

CN Bonine

CN Histametzine

CN **Meclizine**

CN Meclozine

CN Navicalm

CN Neo-Istafene

CN NSC 169189

CN Parachloramine

CN Postafene

CN Ravelon

CN Sabari

CN Suprimal

CN U.C.B. 5062

CN Vomisseis

FS 3D CONCORD

MF C25 H27 Cl N2

CI COM

LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS,  
 BIOTECHNO, CA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CHEMLIST, CIN,  
 CSCHM, DDFU, DIOGENES, DRUGU, EMBASE, HODOC\*, HSDB\*, IPA, MEDLINE,  
 MRCK\*, NIOSHTIC, PROMT, PS, RTECS\*, SPECINFO, TOXCENTER, USAN, USPAT2,  
 USPATFULL



(\*File contains numerically searchable property data)

Other Sources: EINECS\*\*, NDSL\*\*, TSCA\*\*, WHO

(\*\*Enter CHEMLIST File for up-to-date regulatory information)


DT.CA CAPLUS document type: Conference; Journal; Patent; Report

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses); NORL (No role in record)

RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)

RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); FORM (Formation, nonpreparative); PREP (Preparation); PRP (Properties)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

319 REFERENCES IN FILE CA (1907 TO DATE)

7 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

319 REFERENCES IN FILE CAPLUS (1907 TO DATE)

19 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L2 ANSWER 12 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN

RN 114-49-8 REGISTRY

CN Benzeneacetic acid,  $\alpha$ -(hydroxymethyl)-, (1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ )-9-methyl-3-oxa-9-azatricyclo[3.3.1.0<sup>2,4</sup>]non-7-yl ester, hydrobromide, ( $\alpha$ S)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1 $\alpha$ H,5 $\alpha$ H-Tropan-3 $\alpha$ -ol, 6 $\beta$ ,7 $\beta$ -epoxy-, (-)-tropate (ester), hydrobromide (8CI)

CN 3-Oxa-9-azatricyclo[3.3.1.0<sup>2,4</sup>]nonane, benzeneacetic acid deriv.


CN Benzeneacetic acid,  $\alpha$ -(hydroxymethyl)-, 9-methyl-3-oxa-9-azatricyclo[3.3.1.0<sup>2,4</sup>]non-7-yl ester, hydrobromide, [7(S)-(1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ )]-

CN Scopolamine bromide (6CI)

OTHER NAMES:

CN (-)-Hyoscine hydrobromide  
 CN (-)-Scopolamine bromide  
 CN (-)-Scopolamine hydrobromide  
 CN Beldavrin  
 CN Euscopol  
 CN Hydroscine hydrobromide  
 CN Hyocine F hydrobromide  
 CN Hyoscine bromide  
 CN Hyoscine hydrobromide  
 CN Hysco  
 CN Isoscopil  
 CN Kwell's  
 CN l-Hyoscine hydrobromide  
 CN l-Scopolamine hydrobromide  
 CN Scopamin  
 CN **Scopolamine hydrobromide**  
 CN Scopolaminium bromide  
 CN Scopolammonium bromide  
 CN Scopus  
 CN Sea Legs  
 CN Sereen  
 CN Triptone  
 CN Wellcome Brand Scopolamine hydrobromide Injection  
 FS STEREOSEARCH  
 DR 8013-72-7, 70-50-8  
 MF C17 H21 N O4 . Br H  
 CI COM  
 LC STN Files: ADISNEWS, AGRICOLA, BEILSTEIN\*, BIOBUSINESS, BIOSIS,  
 BIOTECHNO, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST, CIN, CSCHM,  
 CSNB, DETHERM\*, DIOGENES, EMBASE, HSDB\*, IFICDB, IFIPAT, IFIUDB, IPA,  
 MRCK\*, MSDS-OHS, NIOSHTIC, PROMT, PS, RTECS\*, TOXCENTER, USAN, USPAT2,  
 USPATFULL  
 (\*File contains numerically searchable property data)  
 Other Sources: EINECS\*\*, NDSL\*\*, TSCA\*\*  
 (\*\*Enter CHEMLIST File for up-to-date regulatory information)  
 DT.CA Caplus document type: Conference; Dissertation; Journal; Patent; Report  
 RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study);  
 OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties);  
 RACT (Reactant or reagent); USES (Uses); NORL (No role in record)  
 RLD.P Roles for non-specific derivatives from patents: BIOL (Biological  
 study); PREP (Preparation)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological  
 study); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP  
 (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in  
 record)  
 CRN (51-34-3)

Absolute stereochemistry. Rotation (-).



816 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
816 REFERENCES IN FILE CAPLUS (1907 TO DATE)  
10 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L2 ANSWER 13 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN

RN 103-90-2 REGISTRY

CN Acetamide, N-(4-hydroxyphenyl)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Acetanilide, 4'-hydroxy- (7CI, 8CI)

OTHER NAMES:

CN 4'-Hydroxyacetanilide

CN 4-(Acetylamino)phenol

CN 4-(N-Acetylamino)phenol

CN 4-Acetamidophenol

CN 4-Acetaminophenol

CN 4-Hydroxyacetanilide

CN Abensanil

CN Acamol

CN Acenol

CN Acenol (pharmaceutical)

CN Acetagesic

CN Acetalgin

CN Acetaminofen

CN **Acetaminophen**

CN Algotropyl

CN Alpiny

CN Alvedon

CN Amadil

CN Anaflon

CN Anelix

CN Anhiba

CN Apamid

CN Apamide

CN APAP

CN Banesin

CN Ben-u-ron

CN Bickie-mol

CN Biocetamol

CN Calpol

CN Captin

CN Cetadol

CN Citramon P

CN Claratal

CN Clixodyne

CN Crocin

CN Dafalgan

CN Daphalgan

CN Datril

CN Dial-a-gesic

CN Dirox

CN Disprol

CN Doliprane

CN Dolprone

CN Duorol

CN Dymadon

CN Efferalgan

CN Enelfa

CN Eneril


CN Eu-Med

ADDITIONAL NAMES NOT AVAILABLE IN THIS FORMAT - Use FCN, FIDE, or ALL for  
DISPLAY

FS 3D CONCORD

DR 8055-08-1

MF C8 H9 N O2  
 CI COM  
 LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSChem, CSNB, DDFU, DETHERM\*, DIOGENES, DIPPR\*, DRUGU, EMBASE, HODOC\*, HSDB\*, IFICDB, IFIPAT, IFIUDB, IMSCOSEARCH, IPA, MEDLINE, MRCK\*, MSDS-OHS, NIOSHTIC, PHAR, PIRA, PROMT, PROUSDDR, PS, RTECS\*, SPECINFO, SYNTHLINE, TOXCENTER, ULIDAT, USAN, USPAT2, USPATFULL, VETU  
 (\*File contains numerically searchable property data)  
 Other Sources: DSL\*\*, EINECS\*\*, TSCA\*\*, WHO  
 (\*\*Enter CHEMLIST File for up-to-date regulatory information)  
 DT.CA Caplus document type: Book; Conference; Dissertation; Journal; Patent; Report  
 RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)  
 RLD.P Roles for non-specific derivatives from patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)  
 RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10755 REFERENCES IN FILE CA (1907 TO DATE)  
 241 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 10776 REFERENCES IN FILE CAPLUS (1907 TO DATE)  
 2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L2 ANSWER 14 OF 14 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 51-34-3 REGISTRY  
 CN Benzeneacetic acid,  $\alpha$ -(hydroxymethyl)-, (1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ )-9-methyl-3-oxa-9-azatricyclo[3.3.1.0<sup>2,4</sup>]non-7-yl ester, ( $\alpha$ S)- (9CI) (CA INDEX NAME)  
 OTHER CA INDEX NAMES:  
 CN 1 $\alpha$ H,5 $\alpha$ H-Tropan-3 $\alpha$ -ol, 6 $\beta$ ,7 $\beta$ -epoxy-, (-)-tropate (ester) (8CI)  
 CN 3-Oxa-9-azatricyclo[3.3.1.0<sup>2,4</sup>]nonane, benzeneacetic acid deriv.  
 CN Benzeneacetic acid,  $\alpha$ -(hydroxymethyl)-, 9-methyl-3-oxa-9-azatricyclo[3.3.1.0<sup>2,4</sup>]non-7-yl ester, [7(S)-(1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,5 $\alpha$ 1 $\phi$ a.,7 $\beta$ )]-  
 OTHER NAMES:  
 CN (-)-Hyoscine  
 CN (-)-Scopolamine  
 CN 6,7-Epoxytropine tropate  
 CN 6 $\beta$ ,7 $\beta$ -Epoxy-3 $\alpha$ -tropanyl S-(-)-tropate  
 CN 9-Methyl-3-oxa-9-azatricyclo[3.3.1.0<sup>2,4</sup>]nonan-7-ol (-)-tropate

CN Atrochin  
 CN Atroquin  
 CN Hyoscine  
 CN 1-Scopolamine  
 CN Scop  
 CN Scopine (-)-tropate  
 CN Scopine tropate  
 CN Scopoderm TTS  
 CN **Scopolamine**  
 CN SEE  
 CN Transcop  
 CN Transderm-Scop  
 CN Tropic acid ester with scopine  
 FS STEREOSEARCH  
 DR 58670-87-4, 14797-94-5, 97991-84-9, 65319-33-7, 28901-63-5, 226562-00-1  
 MF C17 H21 N O4  
 CI COM  
 LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMLIST, CIN, CSCHEM, DDFU, DIOGENES, DRUGU, EMBASE, GMELIN\*, HSDB\*, IFICDB, IFIPAT, IFIUDb, IMSCOSEARCH, IPA, MEDLINE, MRCK\*, MSDS-OHS, NAPRALERT, NIOSHTIC, PHAR, PROMT, PS, RTECS\*, SPECINFO, TOXCENTER, USAN, USPAT2, USPATFULL, VETU  
 (\*File contains numerically searchable property data)  
 Other Sources: EINECS\*\*  
 (\*\*Enter CHEMLIST File for up-to-date regulatory information)  
 DT.CA Caplus document type: Book; Conference; Dissertation; Journal; Patent; Report  
 RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)  
 RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)  
 RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PRP (Properties)

Absolute stereochemistry. Rotation (-).



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4255 REFERENCES IN FILE CA (1907 TO DATE)  
 23 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 4257 REFERENCES IN FILE CAPLUS (1907 TO DATE)  
 6 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L Number	Hits	Search Text	DB	Time stamp
1	0	514/\$8 and sildenafil/clm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:05
2	124	514/\$8 and sildenafil.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:15
3	0	514/254.08 and sildenafil.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:15
4	0	514/254.06 and sildenafil.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:15
5	1	514/252.19 and sildenafil.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:15
6	55	514/252.16 and sildenafil.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:16
7	8	514/252 and sildenafil.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:16
9	2	514/254\$5 and sildenafil.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:16
8	67	514/252\$5 and sildenafil.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:21
10	2	514/40\$5 and granisetron.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:22
11	71	514/\$8 and granisetron.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:35
12	11	514/31\$5 and granisetron.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:50
13	3	514/277 and (amlodipine or pelmec).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:02
14	7	514/365 and (famotidine or pepcid or amfamox or dispromil or famodil or famodine).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:04

15	0	514/635 and (famotidine or pepcid or amfamox or dispromil or famodil or famodine).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:04
16	0	514/284 and (loratadin).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:05
17	1	514/284 and (alavert or anhisen or bonalerg or civeran or claratyne or claritin or claritine or clarityn or clarityne or coronopen or fristamin or histaloran or klaritine or lertamine or lision or loracert or loradex or loranox or lorastine or loratidine or loratyne or lorfast or lowadina or optimin or polaratyne or restamine or sensibit or sohotin or tadine or velodan or loratadin).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:07
18	7	514/290 and (alavert or anhisen or bonalerg or civeran or claratyne or claritin or claritine or clarityn or clarityne or coronopen or fristamin or histaloran or klaritine or lertamine or lision or loracert or loradex or loranox or lorastine or loratidine or loratyne or lorfast or lowadina or optimin or polaratyne or restamine or sensibit or sohotin or tadine or velodan or loratadin).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:08
19	0	514/320 and (alavert or anhisen or bonalerg or civeran or claratyne or claritin or claritine or clarityn or clarityne or coronopen or fristamin or histaloran or klaritine or lertamine or lision or loracert or loradex or loranox or lorastine or loratidine or loratyne or lorfast or lowadina or optimin or polaratyne or restamine or sensibit or sohotin or tadine or velodan or loratadin).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:08
20	0	514/330 and (alavert or anhisen or bonalerg or civeran or claratyne or claritin or claritine or clarityn or clarityne or coronopen or fristamin or histaloran or klaritine or lertamine or lision or loracert or loradex or loranox or lorastine or loratidine or loratyne or lorfast or lowadina or optimin or polaratyne or restamine or sensibit or sohotin or tadine or velodan or loratadin).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:11
21	0	514/387 and (domperidone or euciton or evoxin or gastronorm or motilium or nauzelin or peridon or peridys).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:12
22	0	514/386 and (domperidone or euciton or evoxin or gastronorm or motilium or nauzelin or peridon or peridys).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:12
23	0	514/385 and (domperidone or euciton or evoxin or gastronorm or motilium or nauzelin or peridon or peridys).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:13

24	0	514/395 and (domperidone or euciton or evoxin or gastronorm or motilium or nauzelin or peridon or peridys).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:27
25	0	514/613 and (apap or acetoaminophen).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:27
27	3	514/728 and (apap or acetaminophen).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:28
26	6	514/613 and (apap or acetaminophen).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:28
28	4	514/622 and (apap or acetaminophen).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:28
29	4	514/622 and (apap or acetaminophen or acetaminofen).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:28
30	6	514/613 and (apap or acetaminophen or acetaminofen).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:28
31	3	514/728 and (apap or acetaminophen or acetaminofen).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:54
32	15709	424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:56
33	409	mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:57
34	78	(424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960) and (mannitol near10 spray\$10 near10 (dry\$10 or drie\$10))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:57
35	5742	(cros\$10 near5 (povidone or pyrrolid\$10 or pyrollid\$10) or crosopovidone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:58
36	4404	(cros\$10 near5 (polyvinylpovidone or polyvinylpyrrolid\$10 or vinylpyrrolid\$10 or vinylpovidone or vinylpyrrolid\$10 or vinylpyrrolid\$10) or crosopovidone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:00



37	1000	(424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960) and (( (cros\$10 near5 (povidone or pyrrolid\$10 or pyrollid\$10) or crospovidone)) or ( (cros\$10 near5 (polyvinylpovidone or polyvinylpyrrolid\$10 or vinylpyrollid\$10 or vinylpovidone or vinylpyrrolid\$10 or vinylpyrollid\$10) or crospovidone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:00
38	34	((424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960) and (( (cros\$10 near5 (povidone or pyrrolid\$10 or pyrollid\$10) or crospovidone)) or ( (cros\$10 near5 (polyvinylpovidone or polyvinylpyrrolid\$10 or vinylpyrollid\$10 or vinylpovidone or vinylpyrrolid\$10 or vinylpyrollid\$10) or crospovidone)))) and ((424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960) and (mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:02
39	145	(mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (((424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960) and (mannitol near10 spray\$10 near10 (dry\$10 or drie\$10))) or ( (cros\$10 near5 (povidone or pyrrolid\$10 or pyrollid\$10) or crospovidone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:02
40	44	((424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960) and (mannitol near10 spray\$10 near10 (dry\$10 or drie\$10))) not (((424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960) and (( (cros\$10 near5 (povidone or pyrrolid\$10 or pyrollid\$10) or crospovidone)) or ( (cros\$10 near5 (polyvinylpovidone or polyvinylpyrrolid\$10 or vinylpyrollid\$10 or vinylpovidone or vinylpyrrolid\$10 or vinylpyrollid\$10) or crospovidone)))) and ((424/465 or 514/252.12 or 514/252.16 or 514/277 or 514/284 or 514/290 or 514/291 or 514/299 or 514/315 or 514/322 or 514/365 or 514/395 or 514/396 or 514/411 or 514/613 or 514/728 or 514/777 or 514/772.5 or 514/960) and (mannitol near10 spray\$10 near10 (dry\$10 or drie\$10))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 19:02

-	409	mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:56
-	296	((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:16
-	90	((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:54
-	96	((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) or ((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine))) and (cros\$10 near5 (povidone or pyrrolid\$10 or pyrrolid\$10) or cros povidone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 18:57
-	71	((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine)) not (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) or ((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine))) and (cros\$10 near5 (povidone or pyrrolid\$10 or pyrrolid\$10) or cros povidone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:53
-	0	((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) not (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine)) or (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) or ((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine))) and (cros\$10 near5 (povidone or pyrrolid\$10 or pyrrolid\$10) or cros povidone))) and (cros\$10 near5 (povidone or pyrrolid\$10 or pyrrolid\$10) or cros povidone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:54

-	0	((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) not (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine)) or (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) or (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine))) and (cros\$10 near5 (povidone or pyrrolid\$10 or pyrrolid\$10) or cros povidone))) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 14:55
-	129	((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) not (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine)) or (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) or (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine))) and (cros\$10 near5 (povidone or pyrrolid\$10 or pyrrolid\$10) or cros povidone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 15:04
-	113	(mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) not ((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) or ((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine)) or (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) or (((mannitol near10 spray\$10 near10 (dry\$10 or drie\$10)) and (tablet\$10)) and (acetaminophen or dompieri done or famotidine or meclizine or scopolamine or ondansetron or cisapride or granisetron or sildenafil or loratadine or amlodipine))) and (cros\$10 near5 (povidone or pyrrolid\$10 or pyrrolid\$10) or cros povidone)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 17:05